

# PRICE LIST

PRICE LIST 264




FIGURE A – Bare Pump with Oil Cup. Pages 2, 3, 8 and 9.

FIGURE B – Pump with automatic Oil-Feed. Pages 2, 3, 8 and 9.





FIGURE C – Pump with Oil Cup, Oil Return Muffler and Pressure Relief Valve. Page 9.




FIGURE D – Motor Driven Unit with Oil Cup. Pages 4, 5 and 8.




FIGURE E – Motor Driven Unit with Automatic Oiling System. Pages 3, 6 and 8.




FIGURE F – Motor Driven Unit with Oil Cup. Pages 10 and 11.




FIGURE G – Motor Driven Pump Unit, for direct Coupling to Motor with Oil Cup and Outlet Muffler. Page 12.




FIGURE H – Motor Driven Vacuum Pump Unit, for direct Coupling to Motor with Automatic Oiling System and Outlet Muffler. Page 13.




FIGURE J – High Vacuum. Page 7.




FIGURE L – Automatic Controlled Vacuum and Pressure Units. Page 14.




FIGURE M – Gas Booster. Page 15.





FIGURE N – Integral Pump and Motor Unit. Page 15.

**LEIMAN BROS., INC.**

**140 EAST UNION AVENUE  
EAST RUTHERFORD, N. J.**




# VACUUM PUMPS - CURVED WING TYPE SIZES B TO E



VACUUM PUMP  
WITH AUTOMATIC  
E113-4 OIL CUP

Figure A



VACUUM PUMP  
WITH AUTOMATIC  
OILING SYSTEM

Figure B

Pump Size	VACUUM						VACUUM					
	0"-6" Steady	7"-10" Steady	11"-15" Inter.	11"-15" Steady	16"-20" Inter.	16"-20" Steady	0"-6" Steady	7"-10" Steady	11"-15" Inter.	11"-15" Steady	16"-20" Inter.	16"-20" Steady
B	90.00	90.00	90.00	90.00	90.00	90.00	141.00	141.00	141.00	141.00	141.00	141.00
C	113.00	113.00	113.00	113.00	113.00	113.00	USE C-3 PUMP					
C-3	132.00	132.00	132.00	132.00	132.00	132.00	200.00	200.00	200.00	200.00	200.00	200.00
C-6	207.00	207.00	207.00	207.00	207.00	Use figure B or E	301.00	301.00	301.00	301.00	301.00	301.00
E	383.00	383.00	383.00	W.C. 530.00	383.00	W.C. 530.00	486.00	486.00	486.00	W.C. 631.00	486.00	W.C. 631.00

## DOUBLE CYLINDER VACUUM AND PRESSURE PUMPS

WITH 2-AUTOMATIC  
E-113-4 OIL CUPS




Figure A

Pump Size	
B-2x2	140.00
B-2x3	150.00
C-3x3	272.00
C-3x4½	324.00
C-3x6	383.00
C-4½x6	446.00

THE PRICES LISTED BELOW  
INCLUDE THE FOLLOWING EQUIPMENT:

Pump	Belt Safety Guard
Oil Cup E-113-4	Pump V Pulley
Vacuum Relief Valve	Motor V Pulley
Vacuum Dial Gauge	V Belt
Outlet Muffler	Motor Slide Rail
Pump & Motor Baseplate	

WITH 2-AUTOMATIC  
E-113-4 OIL CUPS




Figure D


Pump Size	
B-2x2	290.00
B-2x3	300.00
C-3x3	494.00
C-3x4½	625.00
C-3x6	698.00
C-4½x6	750.00

INTERMITTENT MEANS OPERATING NOT MORE THAN ½ HOUR AT A TIME NOR MORE THAN 50% OF THE TIME  
"(inches) = Hg Mercury Vacuum  
W.C. = Water Cooled




# VACUUM PUMPS – STRAIGHT WING TYPE

SIZES 26½ TO 29-6



VACUUM PUMP  
WITH AUTOMATIC  
E113-4 OIL CUP ONLY

Figure A




VACUUM PUMP  
WITH AUTOMATIC  
OILING SYSTEM

Figure B

Pump Size	VACUUM						VACUUM					
	20"-24" Inter.	20"-24" Steady	25"-27" Inter.	25"-27" Steady	28"-29.9" Inter.	28"-29.9" Steady	20"-24" Inter.	20"-24" Steady	25"-27" Inter.	25"-27" Steady	28"-29.9" Inter.	28"-29.9" Steady
26-1½	50.00	50.00	50.00	USE PUMP WITH OILER AS PER FIGURE B	USE PUMPS WITH OIL COOLING SYSTEM AS PER FIGURE P – PAGE 7		86.00	86.00	86.00	†95.00	USE PUMPS WITH OIL COOLING SYSTEM AS PER FIGURE P – PAGE 7	
26-3	81.00	81.00	81.00				129.00	129.00	129.00	†152.00		
28-3	142.00	†162.00	142.00				208.00	†230.00	208.00	†230.00		
29-3	210.00	†228.00	210.00		USE PUMPS WITH OIL COOLING SYSTEM AS PER FIGURE J PAGE 7		294.00	†314.00	294.00	†314.00	USE PUMPS WITH OIL COOLING SYSTEM AS PER FIGURE J PAGE 7	
29-6	260.00	W.C. 347.00	260.00				367.00	W.C. 419.00	367.00	W.C. 419.00		
100	USE PUMPS WITH OILING SYSTEM AS PER FIGURE B						498.00	USE FIG. J PAGE 7	498.00	USE FIG. J PAGE 7		

## MOTOR DRIVEN VACUUM PUMP UNITS WITH AUTOMATIC OILING SYSTEM

SIZES 26-1½ AND 26-3



INCLUDE THE FOLLOWING EQUIPMENT:

Pump	Outlet Muffler	Pump V Pulley
Automatic Oiling System	Pump & Motor Baseplate	Motor V Pulley
Vacuum Dial Gauge	Belt Safety Guard	V Belt

Figure E

PRICES DO NOT INCLUDE MOTOR

Pump Size	Pump R.P.M.	VACUUM									
		H.P.	24" Inter.	H.P.	24" Steady	H.P.	25-27" Inter.	H.P.	25-27" Steady	29.9 Inter.	29.9 Steady
26 - 1½	1200	1/4	138.00	1/4	†142.00	1/4	138.00	1/3	†142.00	USE – FIGURE P – PAGE 7	
26 - 3	1200	1/2	200.00	1/2	†206.00	1/2	200.00	1/2	†201.00		

INTERMITTENT MEANS OPERATING NOT MORE THAN ½ HOUR AT A TIME NOR MORE THAN 50% OF THE TIME

"(inches) = Hg Mercury Vacuum


W.C. = Water Cooled

† = Fan Cooled with Guard



# MOTOR DRIVEN VACUUM PUMP UNITS WITH OIL CUP SIZES B TO E

**Figure D**



**INCLUDE THE FOLLOWING EQUIPMENT:**

Pump	Outlet Muffler	Pump V Pulley
Automatic Oil Cup E113-4	Pump & Motor Baseplate	Motor V Pulley
Vacuum Relief Valve	Belt Safety Guard	V Belt
Vacuum Dial Gauge		

**NOTE:** On pump units requiring one HP and over, the price includes a motor slide rail for automatic belt take-up.

**PRICES DO NOT INCLUDE MOTORS**

On Pump Sizes B, C, C-3 and C-6 use 1725 R.P.M. Motors  
On Pump Size E, use 1150 R.P.M. Motors.

Pump Size	Pump R.P.M.	VACUUM											
		H.P.	0"-6" Steady	H.P.	7"-10" Steady	H.P.	11"-15" Inter.	H.P.	11"-15" Steady	H.P.	16"-20" Inter.	H.P.	16"-20" Steady
B	400	1/4	188.00	1/3	188.00	1/3	188.00	1/3	188.00	1/2	188.00	1/2	188.00
	600	1/3	188.00	1/2	188.00	1/2	188.00	1/2	188.00	3/4	188.00	3/4	188.00
	700	1/3	188.00	1/2	188.00	3/4	188.00	3/4	188.00	3/4	188.00	3/4	188.00
	800	1/2	188.00	3/4	188.00	3/4	188.00	3/4	188.00	1	188.00	1	188.00
C	400	1/2	217.00	3/4	217.00	1	261.00	1	261.00	1	261.00	1	261.00
	500	1/2	217.00	3/4	217.00	1	261.00	1	261.00	1-1/2	261.00	1-1/2	261.00
C-3	600	3/4	238.00	1	283.00	1	283.00	1-1/2	283.00	1-1/2	283.00	1-1/2	283.00
C-6	400	1	365.00	1-1/2	404.00	1-1/2	404.00	1-1/2	404.00	2	404.00	2	Use pump with automatic oiler as per Figure E
	500	1	365.00	1-1/2	404.00	2	404.00	2	404.00	3	404.00	3	
E	250	1-1/2	644.00	2	687.00	3	687.00	3	W.C. 877.00	5	687.00	5	W.C. 877.00
	300	2	644.00	3	687.00	5	687.00	5	W.C. 877.00	5	687.00	5	W.C. 877.00

INTERMITTENT MEANS OPERATING NOT MORE THAN 1/2 HOUR AT A TIME NOR MORE THAN 50% OF THE TIME

"(inches) = Hg Mercury Vacuum


W.C. = Water Cooled



# MOTOR DRIVEN VACUUM PUMP UNIT WITH E113 OIL CUP SIZES 26-1½ TO 29-6

**Figure D**

INCLUDE THE FOLLOWING EQUIPMENT:



Pump  
Automatic Oil  
Cup E113-4  
Vacuum Dial Gauge

Outlet Muffler  
Pump & Motor Baseplate  
Belt Safety Guard

Pump V Pulley  
Motor V Pulley  
V Belt

NOTE: On pump units requiring one HP and over, the price includes a motor slide rail for automatic belt take-up.

PRICES DO NOT INCLUDE MOTORS

Use 1725 R.P.M. Motors

Pump Size	Pump R.P.M.	VACUUM								
		H.P.	24" Inter.	H.P.	24" Steady	H.P.	27" Inter.	27" Steady	29.9" Inter.	29.9" Steady
26-1½	1200	1/4	98.00	1/4	† 105.00	1/4	98.00	USE PUMP WITH OIL COOLING SYSTEM AS PER FIGURE P PAGE 7		
26-3	1200	1/2	161.00	1/2	† 168.00	1/2	161.00			
28-3	600	3/4	236.00	3/4	† 255.00	1	278.00			
	800	1	278.00	1	278.00	1	278.00			
29-3	600	1-1/2	386.00	USE PUMP WITH OIL COOLING SYSTEM AS PER FIGURE J. PAGE 7		1-1/2	386.00	USE PUMP WITH OIL COOLING SYSTEM AS PER FIGURE J PAGE 7		
	800	1-1/2	386.00			1-1/2	386.00			
29-6	500	1-1/2	442.00			2	476.00			
	600	2	476.00			2	476.00			
	800	3	484.00			3	484.00			


INTERMITTENT MEANS OPERATING NOT MORE THAN ½ HOUR AT A TIME NOR MORE THAN 50% OF THE TIME

"(inches) = Hg Mercury Vacuum

† = Fan Cooled with Guard



# MOTOR DRIVEN VACUUM PUMP UNITS WITH AUTOMATIC OILING SYSTEM SIZES B TO E



**Figure E**

INCLUDE THE FOLLOWING EQUIPMENT:

Pump	Outlet Muffler	Pump V Pulley
Automatic Oiling System	Pump & Motor Baseplate	Motor V Pulley
Vacuum Relief Valve	Belt Safety Guard	V Belt
Vacuum Dial Gauge		

NOTE: On pump units requiring one HP and over, the price includes a motor slide rail for automatic belt take-up.

PRICES DO NOT INCLUDE MOTOR

On Pump Sizes B, C, C-3 and C-6 use 1725 R.P.M. Motors.

On Pump Size E, use 1150 R.P.M. Motors.

Pump Size	Pump R.P.M.	VACUUM											
		H.P.	0"-6" Steady	H.P.	7"-10" Steady	H.P.	11"-15" Inter.	H.P.	11"-15" Steady	H.P.	16"-20" Inter.	H.P.	16"-20" Steady
B	400	1/4	229.00	1/3	229.00	1/3	229.00	1/3	229.00	1/2	229.00	1/2	229.00
	600	1/3	229.00	1/2	229.00	1/2	229.00	1/2	229.00	3/4	229.00	3/4	229.00
	700	1/3	229.00	1/2	229.00	3/4	229.00	3/4	229.00	3/4	229.00	3/4	229.00
	800	1/2	229.00	3/4	229.00	3/4	229.00	3/4	229.00	1	259.00	1	259.00
C-3	400	1/2	310.00	3/4	310.00	1	347.00	1	347.00	1	347.00	1	347.00
	500	3/4	310.00	3/4	310.00	1	347.00	1	347.00	1-1/2	347.00	1-1/2	347.00
	600	3/4	310.00	1	347.00	1	347.00	1-1/2	347.00	1-1/2	347.00	1-1/2	347.00
C-6	400	1	450.00	1-1/2	450.00	1-1/2	450.00	1-1/2	450.00	2	487.00	2	487.00
	500	1-1/2	450.00	1-1/2	450.00	2	487.00	2	487.00	3	487.00	3	487.00
E	250	1-1/2	781.00	2	828.00	3	828.00	3	W.C. 988.00	5	847.00	5	W.C. 988.00
	300	2	781.00	3	828.00	3	828.00	5	W.C. 988.00	5	847.00	5	W.C. 988.00

INTERMITTENT MEANS OPERATING NOT MORE THAN 1/2 HOUR AT A TIME NOR MORE THAN 50% OF THE TIME

"(inches) = Hg Mercury Vacuum

W.C. = Water Cooled




# MOTOR DRIVEN VACUUM PUMP UNIT WITH AUTOMATIC OILING SYSTEM

SIZES 26-1½ TO 106

**Figure P**

Fan Cooled

Sizes 26-1½ to 28-3 for 24" to 29.9" Hg Vacuum



INCLUDE THE FOLLOWING EQUIPMENT:

Pump	Belt Safety Guard
Automatic Oiling System	Pump V Pulley
Inlet Check Valve	Motor V Pulley
Outlet Vapor Filter	V Belt
Pump & Motor Baseplate	Cooling Fan


NOTE: On pump units requiring one HP and over, the price includes a motor slide rail for automatic belt take-up.

Prices do not include motor.

Use 1725 R.P.M. Motors

**Figure J**

(Sizes 29-3, 29-6, 100 for 29.9" Hg Vacuum)



INCLUDE THE FOLLOWING EQUIPMENT:

Air Cooled Vacuum Pump	Pump and Motor Baseplate
Automatic Oiling System	Pump V Pulley
Inlet Check Valve	Motor V Pulley
Cooling Radiator with Fan	V Belts
Outlet Vapor Filter	Belt Safety Guard
Motor Slide Rail	

NOTE: Prices do not include motor.

Use 1725 R.P.M. Motors

**Figure P**

**Figure J**

Pump Size	Pump R.P.M.	VACUUM											
		H.P.	24" Inter.	H.P.	24" Steady	H.P.	25"-27" Inter.	H.P.	25"-27" Steady	H.P.	28-29.9" Inter.	H.P.	28-29.9" Steady
26-1½	1200			USE FIGURE E – PAGE 3						1/3	185.00	1/3	185.00
26-3	1200									3/4	265.00	3/4	265.00
28-3	600	3/4	374.00	3/4	374.00	1	398.00	1	398.00	1	398.00	1	398.00
	800	1	398.00	1	398.00	1	398.00	1	398.00	1-1/2	398.00	1-1/2	398.00
29-3	600	1-1/2	RC 590.00	1-1/2	RC 590.00	1-1/2	RC 590.00	1-1/2	RC 590.00	1-1/2	RC 590.00	1-1/2	RC 590.00
	800	1-1/2	590.00	1-1/2	590.00	1-1/2	590.00	2	590.00	2	590.00	2	590.00
29-6	500	1-1/2	RC 657.00	2	RC 657.00	2	RC 657.00	2	RC 657.00	2	RC 657.00	2	RC 657.00
	600	2	657.00	2	657.00	2	657.00	2	657.00	3	657.00	3	657.00
	800	3	657.00	3	657.00	3	657.00	3	657.00	3	657.00	3	657.00
	1000	3	657.00	3	657.00	3	657.00	3	657.00	3	657.00	3	657.00
100	500	3	RC 971.00	3	RC 971.00	3.4	RC 971.00	3.4	RC 971.00	3.8	RC 971.00	3.8	RC 971.00
	600	3.6	971.00	3.6	971.00	4.9	971.00	4.9	971.00	5.5	971.00	5.5	971.00
	700	4.2	971.00	4.2	971.00	5.7	971.00	5.7	971.00	6.4	971.00	6.4	971.00
	800	5	971.00	5	971.00	6.3	971.00	6.3	971.00	7.0	971.00	7.0	971.00
	900	5.8	971.00	5.8	971.00	7	971.00	7	971.00	7.4	971.00	7.4	971.00
	1000	6.9	971.00	6.9	971.00	7.4	971.00	7.4	971.00	8.5	971.00	8.5	971.00
	1400	8.9	971.00	8.9	971.00	10	971.00	10	971.00	12.5	971.00	12.5	971.00

INTERMITTENT MEANS OPERATING NOT MORE THAN ½ HOUR AT A TIME NOR MORE THAT 50% OF THE TIME

"(inches) = Hg Mercury Vacuum      RC = Use Figure J pump

**LEIMAN BROS. INC., 140 E. UNION AVE., EAST RUTHERFORD, N. J.**



**VACUUM AND PRESSURE PUMPS**  
**STRAIGHT WING TYPE – VACUUM TO 20" HG STEADY AND 26" HG INTERMITTENT**  
**PRESSURE TO 13 P.S.I.G.**




Figure A




Figure B

E113-4 Oiler & Inlet Filter		E113-4 Oiler, Inlet Filter, with Cooling Fan & Guard‡	Automatic Oiling System & Inlet Filter		Automatic Oiling System, Inlet Filter, Cooling Fan and Guard‡
PUMP SIZE	PRICE	PRICE	PUMP SIZE	PRICE	PRICE
195-2	70.00	80.00	195-2	112.00	122.00
30-3	118.00	134.00	30-3	176.00	192.00
30-6	201.00	217.00	30-6	275.00	291.00
100	396.00	416.00	100	498.00	518.00

‡ Cooling Fan and Guard not shown

**MOTOR DRIVEN VACUUM PUMP  
UNIT WITH OIL CUP**

**MOTOR DRIVEN VACUUM PUMP  
WITH AUTOMATIC OILING SYSTEM**




Figure D

Pump with E113-4 Oil Cup, Filter, Relief Valve, Gauge, Muffler, Baseplate, Belt Guard, Pump Pulley, Motor Pulley, V Belts, Cooling Fan‡

PRICES DO NOT INCLUDE MOTOR




Figure E

Pump with Automatic Oiling System, Filter, Relief Valve, Gauge, Muffler, Baseplate, Belt Guard, Pump Pulley, Motor Pulley, V Belts, Cooling Fan‡

PRICES DO NOT INCLUDE MOTOR


1/2 HP & 3/4 HP MOTORS*		1 HP MOTOR & OVER*	1/2 HP & 3/4 HP MOTORS*		1 HP MOTOR & OVER*
PUMP SIZE	PRICE	PRICE	PUMP SIZE	PRICE	PRICE
195-2	150.00	174.00	195-2	190.00	214.00
30-3	198.00	270.00	30-3	256.00	328.00
30-6	282.00	353.00	30-6	356.00	427.00
100	—	634.00	100	—	736.00

\*Use 1725 R.P.M. Motors – ‡Cooling Fan not shown

**LEIMAN BROS. INC., 140 E. UNION AVE., EAST RUTHERFORD, N. J.**




# **PRESSURE BLOWERS – CURVED WING TYPE** **SIZES B TO E**



BLOWER WITH  
AUTOMATIC E113-4  
OIL CUP

**Figure A**




BLOWER WITH AUTOMATIC  
E113-4 OIL CUP, OIL  
RETURN MUFFLER AND  
PRESSURE VALVE

**Figure C**


Pump Size	PRESSURE (P.S.I.G.)					PRESSURE (P.S.I.G.)				
	3 lbs.	5 lbs.	10 lbs. Inter.	10 lbs. Steady	15 lbs. Inter.	3 lbs.	5 lbs.	10 lbs. Inter.	10 lbs. Steady	15 lbs. Inter.
B	90.00	90.00	90.00	90.00	90.00	118.00	118.00	121.00	121.00	121.00
C	113.00	113.00	113.00	113.00	113.00	142.00	142.00	146.00	146.00	146.00
C-3	132.00	132.00	132.00	132.00	132.00	162.00	162.00	172.00	172.00	172.00
C-6	207.00	207.00	207.00	207.00	NOT RECOM.	256.00	256.00	266.00	266.00	NOT RECOM.
E	383.00	383.00	383.00	383.00		417.00	417.00	417.00	417.00	

# **PRESSURE BLOWERS – STRAIGHT WING TYPE** **SIZES 26½ TO 29-6**



BLOWER WITH  
AUTOMATIC E113-4  
OIL CUP

**Figure A**



BLOWER WITH AUTOMATIC  
E113-4 OIL CUP, OIL  
RETURN MUFFLER  
AND PRESSURE  
RELIEF VALVE

**Figure C**

Pump Size	PRESSURE (P.S.I.G.)				PRESSURE (P.S.I.G.)			
	15 lbs. Inter.	15 lbs. Steady	20 lbs. Inter.	20 lbs. Steady	15 lbs. Inter.	15 lbs. Steady	20 lbs. Inter.	20 lbs. Steady
26-1½	50.00	50.00	50.00	† 62.00	FIGURE A – ONLY			
26-3	81.00	81.00	81.00	† 92.00				
28-3	142.00	142.00	142.00	† 160.00	179.00	179.00	179.00	† 200.00
29-3	210.00	† 228.00	210.00	† 228.00	251.00	† 274.00	251.00	† 274.00
29-6	260.00	W.C. 347.00	260.00	W.C. 347.00	301.00	W.C. 370.00	301.00	W.C. 370.00

INTERMITTENT MEANS OPERATING NOT MORE THAN ½ HOUR AT A TIME NOR MORE THAN 50% OF THE TIME


W.C. = Water Cooled

† = Fan Cooled with Guard

**LEIMAN BROS. INC., 140 E. UNION AVE., EAST RUTHERFORD, N. J.**



# MOTOR DRIVEN PRESSURE BLOWER UNITS WITH OIL CUP SIZES B TO E



**Figure F**

INCLUDE THE FOLLOWING EQUIPMENT:

Blower	Pressure Blow-Off Valve	Blower V Pulley
Automatic Oil	Pump & Motor Baseplate	Motor V Pulley
Cup E113-4	Belt Safety Guard	V Belt
Oil Return Muffler		

NOTE: On blowers requiring one HP and over, the price includes a motor slide rail for automatic belt take-up

**PRICES DO NOT INCLUDE MOTOR**

On Pump Sizes B, C, C-3 and C-6 use 1725 R.P.M. Motors.


On Pump Size E, use 1150 R.P.M. Motors.

Pump Size	Pump R.P.M.	PRESSURE (P.S.I.G.)									
		H.P.	3 lbs.	H.P.	5 lbs.	H.P.	10 lbs. Inter.	H.P.	10 lbs. Steady	H.P.	15 lbs. Inter.
B	400	1/4	193.00	1/3	193.00	1/2	196.00	1/2	196.00	1/2	196.00
	600	1/3	193.00	1/2	193.00	3/4	196.00	3/4	196.00	3/4	196.00
	700	1/2	193.00	1/2	193.00	3/4	196.00	3/4	196.00	1	229.00
	800	1/2	193.00	3/4	193.00	1	229.00	1	229.00	1	229.00
C	400	1/2	220.00	3/4	220.00	1	271.00	1	271.00	1-1/2	271.00
	500	3/4	220.00	3/4	220.00	1-1/2	271.00	1-1/2	271.00	2	271.00
C-3	600	3/4	248.00	1	294.00	1-1/2	294.00	2	294.00	2	294.00
C-6	400	1	395.00	1-1/2	395.00	2	442.00	2	442.00	NOT RECOMMENDED	
	500	1	395.00	1-1/2	395.00	3	442.00	3	442.00		
E	250	1-1/2	692.00	2	692.00	5	794.00	5	794.00		
	300	2	692.00	3	692.00	5	794.00	5	794.00		

INTERMITTENT MEANS OPERATING NOT MORE THAN 1/2 HOUR AT A TIME NOR MORE THAN 50% OF THE TIME  
W.C. = Water Cooled



# MOTOR DRIVEN PRESSURE BLOWER UNIT WITH E113 OIL CUP SIZES 26-1½ TO 29-6



**Figure F**

INCLUDE THE FOLLOWING EQUIPMENT:

Blower	Pressure Dial Gauge	Blower V Pulley
Automatic Oil	Blower & Motor Baseplate	Motor V Pulley
Cup E113-4	Belt Safety Guard	V Belt
Oil Return Muffler	Pressure Blow-Off Valve	

NOTE: On blowers requiring one HP and over, the price includes a motor slide rail for automatic belt take-up.

PRICES DO NOT INCLUDE MOTOR

Use 1725 R.P.M. Motors.

Size 26-1½ and 26-3 Price does not include Oil Return Muffler and Pressure Valve.

Pump Size	Pump R.P.M.	PRESSURE (P.S.I.G.)							
		H.P.	15 lbs. Inter.	H.P.	15 lbs. Steady	H.P.	20 lbs. Inter.	H.P.	20 lbs. Steady
26-1½	1200	1/3	99.00	1/3	99.00	1/2	99.00	1/2	† 112.00
26-3	1200	3/4	158.00	3/4	† 179.00	3/4	158.00	3/4	† 179.00
28-3	600	1	290.00	1	290.00	1	290.00	1-1/2	† 335.00
	800	1-1/2	310.00	1-1/2	310.00	1-1/2	310.00	1-1/2	† 335.00
29-3	600	1-1/2	395.00	1-1/2	† 416.00	2	395.00	2	† 416.00
	800	2	395.00	2	† 416.00	2	395.00	3	† 416.00
29-6	500	2	495.00	3	W.C. 568.00	3	505.00	3	W.C. 568.00
	600	3	505.00	3	W.C. 568.00	3	505.00	5	W.C. 608.00
	800	5	548.00	5	W.C. 608.00	5	548.00	5	W.C. 608.00

INTERMITTENT MEANS OPERATING NOT MORE THAN ½ HOUR AT A TIME NOR MORE THAN 50% OF THE TIME


W.C. = Water Cooled

† = Fan Cooled with Guard

LEIMAN BROS. INC., 140 E. UNION AVE., EAST RUTHERFORD, N. J.



**MOTOR DRIVEN VACUUM PUMP UNITS FOR DIRECT  
COUPLING TO MOTOR WITH E113 OIL CUP  
SIZES 26-1½ AND 26-3**



**Figure G**


INCLUDE THE FOLLOWING EQUIPMENT:

Pump	Outlet Muffler	Coupling
Automatic E113-4 Oiler	Pump & Motor Baseplate	Coupling Guard
	Vacuum Dial Gauge	

PRICES DO NOT INCLUDE MOTOR

Pump Size	R.P.M.	V A C U U M							
		H.P.	24" Inter.	24" Steady	H.P.	27" Inter.	27" Steady	29.9" Inter.	29.9" Steady
26-1½	1750	1/3	92.00	USE PUMP WITH OIL FEED AS PER FIGURE H	1/2	99.00	SEE FIGURE H		
26-3	1750	3/4	136.00		3/4	136.00			

**MOTOR DRIVEN PRESSURE BLOWER UNITS  
FOR DIRECT COUPLING TO MOTOR  
SIZES 26-1½ AND 26-3**



**Figure G**

INCLUDE THE FOLLOWING EQUIPMENT:

Blower	Inlet Muffler	Coupling
Automatic E113-4 Oiler	Blower & Motor Baseplate	Coupling Guard
	Pressure Dial Gauge	

PRICES DO NOT INCLUDE MOTOR

Pump Size	R.P.M.	P R E S S U R E (P.S.I.G.)							
		H.P.	15 lbs. Inter.	H.P.	15 lbs. Steady	H.P.	20 lbs. Inter.	H.P.	20 lbs. Steady
26-1½	1750	1/2	92.00	1/2	92.00	3/4	92.00	3/4	†104.00
26-3	1750	1	137.00	1	157.00	1	137.00	1	†157.00

INTERMITTENT MEANS OPERATING NOT MORE THAN ½ HOUR AT A TIME NOR MORE THAN 50% OF THE TIME

"(inches) = Hg Mercury Vacuum

† = Fan Cooled with Guard.

**LEIMAN BROS. INC., 140 E. UNION AVE., EAST RUTHERFORD, N. J.**



# MOTOR DRIVEN VACUUM PUMP UNITS FOR DIRECT COUPLING TO MOTOR WITH AUTOMATIC OILING SYSTEM

SIZES 26-1½ AND 26-3




Figure H

INCLUDE THE FOLLOWING EQUIPMENT:

Pump	Outlet Filter
Automatic Oiling System	(for 28" and higher)
Vacuum Dial Gauge	Pump and Motor Baseplate
(for up to 27" only)	Coupling
Outlet Muffler	Coupling Guard
(for up to 27")	

PRICES DO NOT INCLUDE MOTOR


Pump Size	R.P.M.	VACUUM								Same as Fig. P-page 7 except coupling is used in place of V belt drive.			
		H.P.	24" Inter.	H.P.	24" Steady	H.P.	25"-27" Inter.	H.P.	25"-27" Steady	H.P.	28-29.9" Inter.	H.P.	28-29.9" Steady
26-1½	1750	1/3	123.00	1/2	† 131.00	1/2	123.00	1/2	† 131.00	1/2	† 170.00	1/2	† 170.00
26-3	1750	3/4	183.00	3/4	† 204.00	3/4	183.00	3/4	† 204.00	3/4	† 251.00	3/4	† 251.00

INTERMITTENT MEANS OPERATING NOT MORE THAN ½ HOUR AT A TIME NOR MORE THAN 50% OF THE TIME

"(inches) = Hg Mercury Vacuum

● = Price includes inlet check valve

† = Fan Cooled with Guard



## OIL LESS PUMPS

With Inlet Filters

Single Cylinder		Double Cylinder	
202	51.00	295-2x2	150.00
206	59.00	295-2x3	171.00
295-2	79.00	295-3x3	187.00
295-3	81.00		
297-6	201.00		

Also available as Motorized Units – write to factory for Price List


## AIR MOTORS

Air Motor Size	24-1½	24-3	B	C-3
Price with Oil Cup & Muffler	(Reversible)		(Non-Reversible)	
	51.00	62.00	108.00	151.00

LEIMAN BROS. INC., 140 E. UNION AVE., EAST RUTHERFORD, N. J.



# AUTOMATICALLY CONTROLLED VACUUM AND PRESSURE UNITS



## INCLUDE THE FOLLOWING EQUIPMENT:

Vacuum Pump or Pressure Blower

Storage Tank

Vacuum or Pressure Gauge

Automatic Vacuum or Pressure Controls

Automatic Oiling

Muffler

Motor Relay on 3ph. and one HP and over

Pump V Pulley

Motor V Pulley

V Belt

Safety Guard

**Figure L**

PRICES DO NOT INCLUDE MOTOR

ON PUMP SIZE E USE 1150 R.P.M. MOTOR

ON ALL OTHER PUMP SIZES USE 1725 R.P.M. MOTORS


Vacuum	Pump Size	Speed	C.F.M.	H.P.	Total Price	Lbs. Pressure	Pump Size	Speed	C.F.M.	H.P.	Total Price
20"	B	400	5.7	1/2	397.00	15	B	400	5.7	1/2	369.00
		600	8.5	3/4	397.00	15		600	8.5	3/4	369.00
		700	10.	3/4	397.00	15		700	10.	1	402.00
		800	11.4	1	436.00	15		800	11.4	1	402.00
20"	C-3	400	15.	1	563.00	10	C	400	15.	1	493.00
		500	18.	1-1/2	563.00	10		500	18.	1-1/2	531.00
		600	22.	1-1/2	563.00	15	C-3	600	22.	1-1/2	551.00
20"	C-6	400	30.	2	728.00	10	C-6	400	30.	2	661.00
		500	37.	3	728.00	10		500	37.	3	661.00
20"	E	250	61.	5	1251.00	10	E	250	61.	5	1172.00
		300	73.	5	1251.00	10		300	73.	5	1172.00
29"	26-1/2	1200	2.4	1/3	338.00	20	26-1½	1200	2.4	1/2	250.00
		1750	3.6	1/2	325.00	20		1725	3.6	3/4	247.00
29"	26-3	1200	4.8	3/4	473.00	20	26-3	1200	4.8	1	368.00
		1750	7.2	3/4	465.00	20		1725	7.2	1-1/2	362.00
29"	28-3	600	9.3	1	601.00	20	28-3	600	9.3	1-1/2	518.00
		800	12.4	1-1/2	601.00	20		800	12.4	1-1/2	549.00
29"	29-3	600	15.3	1-1/2	706.00	20	29-3	600	15.3	2	613.00
		800	20.4	2	706.00	20		800	20.4	3	654.00
29"	29-6	500	25.5	2	836.00	20	29-6	500	25.5	3	789.00
		600	30.6	3	847.00	20		600	30.6	5	789.00
		800	40.8	3	847.00	20		800	40.8	5	789.00
		1000	48.	5	847.00	15	29-6	1000	48.	5	789.00
29"	100	500	60.	5	1564.00	20	100	500	60.	4	1287.00
		600	75.	5.5	1564.00	20		600	75.	5	1495.00
		700	85.	6.4	1564.00	20		700	85.	5.8	1495.00
		800	100.	7	1564.00	20		800	100.	6.6	1495.00
		900	115.	7.4	1564.00	20		900	115.	7.4	1495.00
		1000	125.	8.5	1564.00	20		900	115.	7.4	1495.00
		1400	170.	12.5	1564.00	20		1000	125.	8.5	1495.00

"(inches) = Hg Mercury Vacuum

**LEIMAN BROS. INC., 140 E. UNION AVE., EAST RUTHERFORD, N. J.**



## GAS BOOSTERS




**Figure M**

**PRICES DO NOT INCLUDE MOTOR**

*For Higher Pressures (up to 20 lbs. and greater C.F.M.), write to factory for quotation.*

Pump	26-1½	B	C-3	C-6	E
C.F.M.	2.4	8.5	18	30	61
Gas Pump with Oil Cup	48.00	104.00	132.00	207.00	383.00
Gas Pump with Oil Cup, Diaphragm Valve and By-pass	151.00	205.00	233.00	307.00	585.00
Gas Pump with Oil Cup, Base, Guard, V-Belt drive for Pump and Motor	99.00	179.00	210.00	290.00	572.00
For 1 lb. pressure – HP Required	1/6	1/4	1/2	3/4	1
Same as above, but	99.00	179.00	251.00	322.00	572.00
For 5 lb. pressure – HP Required	1/4	1/2	1	1-1/2	2
Gas Pump Unit with Diaphragm – Valve, Oil Cup, Base, Guard, V-Belt drive for Pump and Motor	190.00	270.00	301.00	365.00	759.00
For 1 lb. pressure – HP Required	1/6	1/4	1/2	3/4	1
Same as above, but	190.00	270.00	342.00	413.00	759.00
For 5 lb. pressure – HP Required	1/4	1/2	1	1-1/2	2

### INTEGRAL PUMP AND MOTOR UNITS MODEL K-2, K, K-4, AND K-5



**Figure N**

Prices include automatic oiler inlet air filter, outlet filter-silencer.

#### MODEL K-2

1/4 Hp	Split Phase	110 or 220V	60 Cy	\$ 85.00
1/4 Hp	1 Phase	110/220V	60 Cy*	90.00
1/4 Hp	3 Phase	220/440V	60 Cy	95.00
1/4 Hp Totally Enclosed	1 Phase	110/220V	60 Cy*	109.00
1/4 Hp Totally Enclosed	3 Phase	220/440V	60 Cy	109.00

#### MODEL K

1/3 Hp	Split Phase	110 or 220V	60 Cy	\$ 92.00
1/3 Hp	1 Phase	110/220V	60 Cy*	97.00
1/3 Hp	3 Phase	220/440V	60 Cy	113.00
1/3 Hp Totally Enclosed	1 Phase	115/230V	60 Cy*	164.00
1/3 Hp Totally Enclosed	3 Phase	220/440V	60 Cy	168.00

#### MODEL K-4

1/2 Hp	1 Phase	110/220V	60 Cy*	\$171.00
1/2 Hp	3 Phase	220/440V	60 Cy	171.00
1/2 Hp Totally Enclosed	1 Phase	110/220V	60 Cy*	199.00
1/2 Hp Totally Enclosed	3 Phase	220/440V	60 Cy	187.00

#### MODEL K-5

3/4 Hp	1 Phase	110/220 V	60 Cy*	\$225.00
3/4 Hp	3 Phase	220/440 V	60 Cy	225.00
3/4 Hp Totally Enclosed	1 Phase	110/220 V	60 Cy*	261.00
3/4 Hp Totally Enclosed	3 Phase	220/440 V	60 Cy	246.00

\*Note: For 50 Cy. - 1 Phase units add \$15.00 to above prices.



# ACCESSORY PRICE LIST

No.	Item	195-2	30-3		30-6		K 2 K	K 4 K 5				
		B	C	C-3	C-6	E	26-1½	26-3	28-3	29-3	29-6	100
1	Flood Oil System 3FB						QUOTED ON REQUEST					
2	No. 2 Oiling System	42.00	56.00									
3	No. 3 Oiling System			58.00	74.00	102.00				63.00	74.00	102.00
	No. 1 Oiling System	40.00	53.00				35.00	40.00	51.00	53.00	79.00	
4	Inlet Filter – Bag Type	20.00	25.00	25.00	41.00	57.00	17.00	20.00	20.00	25.00	41.00	57.00
	Pipe Size	¾"	1"	1"	1½"	1½"	¾"	½"	¾"	1"	1½"	1½"
4A	Inlet Filter – Centrifugal Type	11.00	14.00	14.00	41.00	41.00	6.00	11.00	14.00	14.00	41.00	41.00
	Pipe Size	½"	¾"	¾"	1½"	1½"	¾"	½"	¾"	¾"	1½"	1½"
5	Outlet Oil Separator – Waste Type	20.00	25.00	25.00	41.00	57.00	17.00	20.00	20.00	25.00	41.00	57.00
	Pipe Size	¾"	1"	1"	1½"	1½"	¾"	½"	¾"	1"	1½"	1½"
6	Outlet Oil Separator – Centrifugal Type	11.00	14.00	14.00	41.00	41.00	6.00	11.00	20.00		41.00	41.00
	Pipe Size	½"	¾"	¾"	1½"	1½"	¾"	½"	¾"	¾"	1½"	1½"
7	Vacuum Relief Valve	7.00	7.00	7.00	7.00	12.00	6.00	6.00	7.00	7.00	7.00	13.00
	Pipe Size	¾"	¾"	¾"	¾"	1¼"	¾"	¾"	¾"	¾"	¾"	1¼"
8	Pressure Relief Valve (and weights) For 5 Lbs.	8.00	11.00	11.00	13.00	13.00						
	Pipe Size	½"	½"	½"	1¼"	1¼"						
8A	Pressure Relief Valve – Spring Type – For 20 Lbs.						11.00	11.00	11.00	11.00	29.00	29.00
	Pipe Size						¾"	¾"	½"	½"	1"	1"
9	Oil Return Muffler and Bypass Piping (no valve)	12.00	14.00	14.00	16.00	16.00			12.00	16.00	16.00	
10	Diaphragm Valve and Bypass Piping – 0 to 5 lbs.	91.00	91.00	91.00	91.00	186.00	QUOTED ON REQUEST					
11	Vapor-Filter V126	14.00	18.00	18.00			9.00	14.00	14.00	18.00		
	Pipe Size	½"	¾"	¾"			¼"	½"	½"	¾"		
11A	Silencer		40.00	40.00	60.00	60.00				40.00	60.00	60.00
	Pipe Size		1"	1"	1½"	1½"				1"	1½"	1½"
12	E113-4 Oil Cup – Automatic	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	
	Vacuum Gauge	7.00	7.00	7.00	7.00	7.00	15.00	15.00	15.00	15.00	15.00	15.00
	Pipe Size	¼"	¼"	¼"	¼"	¼"	¼"	¼"	¼"	¼"	¼"	¼"
13	Pressure Gauge	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00
	Pipe Size	¼"	¼"	¼"	¼"	¼"	¼"	¼"	¼"	¼"	¼"	¼"
14	Mufflers	6.00	8.00	8.00	10.00	10.00	6.00	6.00	6.00	8.00	10.00	10.00
	Pipe Size	¾"	1"	1"	1½"	1½"	¾"	½"	¾"	1"	1½"	1½"
	102 BZ – Manual Oiler						3.50	3.50				

LEIMAN – Pump Oil –  
 SWO – For Pump Sizes – 26-1½ through 100  
 CWO – For Pump Sizes – B through E

1 Qt. Can – \$1.00  
 1 Gal. Can – 3.00  
 5 Gal. Can – 9.00

NOTE: The pipe size indicated is the size of the accessory used with the pump. For pump port pipe size see Catalog.

LEIMAN BROS. INC., 140 E. UNION AVE., EAST RUTHERFORD, N. J.